



CV SCIENCES™

Certificate of Analysis
February 22, 2021

Sample ID: FP-21-0033
Product Name: PlusCBD Extra Strength Gummies –
Cherry Mango
Batch/Lot #: 20SM3685
Strength: 10mg 60ct
Expiration: 12/22
Analyst: HP



<u>Physical Properties</u>	<u>Result</u>	<u>Method</u>
Appearance	Pass	Organoleptic
Color	Pass	Organoleptic
Aroma	Pass	Organoleptic
<u>Cannabinoid</u>	<u>mg/unit</u>	<u>Method</u>
CBD	11.19	HPLC
CBDV	0.07	HPLC
CBDA	ND	HPLC
CBGA	ND	HPLC
CBG	0.02	HPLC
CBN	0.04	HPLC
Δ ⁹ -THC	0.07	HPLC
CBC	0.21	HPLC
THCA	ND	HPLC
Total Cannabinoids	11.60 mg	
Sample Size	4.16 g (1 gummy)	
THC by Mass	0.0017 %	

ND = NOT DETECTED

Hayley Palmer

FEB 22 2021

Ryan Santiago

FEB 22 2021

Analyst
Hayley Palmer, B.S.
Quality Analyst

Date

Reviewed By
Ryan Santiago, B.S.
Senior Quality Associate

Date

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road
San Diego, CA 92121
Vandana Kothari

Sample

2102DBL0217.1712

Batch FP-21-0033

Lot 20SM3685

Ordered 2/17/2021

Completed 2/22/2021

PlusCBD Extra Strength Gummies - 10mg Cherry Mango 60ct EXP: 12/22

Cannabinoids				
	12.21	0.28	4.29	
Total CBD (mg/unit)	% Total CBD		Unit weight (g)	
Cannabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.005	0.28	2.8	
CBDA	0.005	<LOQ	<LOQ	
d9-THC	0.005	<LOQ	<LOQ	
THCA-A	0.005	<LOQ	<LOQ	
d8-THC	0.005	<LOQ	<LOQ	
THCV	0.005	<LOQ	<LOQ	
CBDV	0.005	<LOQ	<LOQ	
CBDVA	0.005	<LOQ	<LOQ	
CBGA	0.005	<LOQ	<LOQ	
CBG	0.005	<LOQ	<LOQ	
CBN	0.005	<LOQ	<LOQ	
CBC	0.005	<LOQ	<LOQ	
CBL	0.005	<LOQ	<LOQ	

Pesticides/Plant Growth Regulators			
Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<LOQ	10
Abamectin	PASS	<LOQ	10
Bifenazate	PASS	<LOQ	10
Fenoxycarb	PASS	<LOQ	10
Fludioxonil	PASS	<LOQ	10
Imidacloprid	PASS	<LOQ	10
Myclobutanil	PASS	<LOQ	10
Pyrethrin	PASS	<LOQ	10
Spinosad	PASS	<LOQ	10
Spiromesifen	PASS	<LOQ	10
Spirotetramat	PASS	<LOQ	10
Tebuconazole	PASS	<LOQ	10
Plant Growth Regulators			
Daminozide	PASS	<LOQ	10

Microbiology				
Quantitative Analysis	Status	Sample	LOQ	Limit
Mold/Mildew/Yeast	PASS	<LOQ	80	10,000
Enterobacteriaceae	PASS	<LOQ	80	1,000
Aerobic Bacteria	PASS	<LOQ	800	100,000
Coliforms	PASS	<LOQ	80	1,000
Qualitative Analysis		Detected or Not-detected		
E. Coli	PASS	Not-detected		
Salmonella	PASS	Not-detected		
Pseudomonas	PASS	Not-detected		

Residual Solvents		
Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
n-Heptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500

Heavy Metals				
Compound	Status	Sample	LOQ	Limit
Arsenic	PASS	<LOQ	25	1500
Cadmium	PASS	<LOQ	25	500
Mercury	PASS	<LOQ	25	1000
Lead	PASS	44	25	500

Water Activity: 0.3981 PASS Limit: 0.8500

- The hemp extract is the product of a batch tested by the independent testing laboratory.
- The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch, and
- The batch does not contain contaminants unsafe for human consumption.*



CV SCIENCES™
ANALYTICAL CHEMISTRY

Stacy Gardalen

Stacy Gardalen
Director

Glen Marquez

Glen Marquez
Quality Control

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation, NA = Not Analyzed, ND = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MVER 6288773610116452576E) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein.* Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.



4439 Polaris Ave.
Las Vegas, NV 89103
(702)729-5180
www.dblabslv.com

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-000052-LIC

DISTRIBUTOR:

CV Sciences
10070 Barnes Canyon Road suite 100
SAN DIEGO 92121
n/a

MANUFACTURER:

CV Sciences, Inc.
Attn: Vandana Kothari
10070 Barnes Canyon Road, Suite 100
San Diego, CA 92121



SAMPLE INFORMATION

Sample No.: 1073208
Product Name: FP-21-0033 PlusCBD Extra Strength Gummies - 10mg Cherry Mango 60ct EXP: 12/22
Matrix: Edible (Gummy)
Batch #: 205M3685

Date Collected: 02/17/2021
Date Received: 02/17/2021
Date Reported: 02/19/2021

TEST SUMMARY

Pesticides Residue Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass

PESTICIDES RESIDUE SCREEN ✔ Pass

02/19/2021

Method: MF 21P03D

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorvos)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Fonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.04/0.10	ND	0.2	Pass
Padlobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

RESIDUAL SOLVENT SCREEN ✔ Pass

02/19/2021

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.10/1.00	ND	1	Pass
Acetone	50/150	ND	5000	Pass
Acetonitrile	4/12	ND	410	Pass
Benzene	0.10/1.00	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.10/1.00	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl Acetate	27/80	ND	5000	Pass
Ethyl Ether	17/50	ND	5000	Pass
Ethylene Oxide	0.50/1.00	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl Alcohol	33/100	ND	5000	Pass
Methanol	50/150	ND	3000	Pass
Methylene Chloride	0.50/1.00	ND	1	Pass
n-Pentane	2/5	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	10/30	ND	890	Pass
Total Xylenes	30/90	ND	2170	Pass
Trichloroethylene	0.10/1.00	ND	1	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by

Vu Lam
Lab Co Director



Scan to verify