




CV SCIENCES™

Certificate of Analysis  
March 29, 2021

**Sample ID:** FP-21-0062  
**Product Name:** PlusCBD Extra Strength Roll-On  
**Batch/Lot #:** 08C21  
**Strength:** 200mg 1.13oz  
**Expiration:** 03/23  
**Analyst:** HP



<u>Physical Properties</u>	<u>Result</u>	<u>Method</u>
Appearance	Pass	Organoleptic
Color	Pass	Organoleptic
Aroma	Pass	Organoleptic
<u>Cannabinoid</u>	<u>mg/unit</u>	<u>Method</u>
CBD	212.62	HPLC
CBDV	1.20	HPLC
CBDA	ND	HPLC
CBGA	ND	HPLC
CBG	0.13	HPLC
CBN	ND	HPLC
Δ <sup>9</sup> -THC	1.04	HPLC
CBC	3.92	HPLC
THCA	ND	HPLC
<b>Total Cannabinoids</b>	<b>219.98 mg</b>	
<b>Sample Size</b>	<b>32.00 g</b>	
<b>THC by Mass</b>	<b>0.0033 %</b>	

ND = NOT DETECTED

*Hayley Palmer*

MAR 29 2021

*Ryan Santiago*

MAR 29 2021

Analyst  
Hayley Palmer, B.S.  
Quality Analyst

Date

Reviewed By  
Ryan Santiago, B.S.  
Senior Quality Associate

Date

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



# Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road  
San Diego, CA 92121  
Vandana Kothari

Sample

2103DBL0415.3183

Batch FP-21-0062

Lot 08C21

Ordered 3/29/2021

Completed 4/1/2021

PlusCBD Extra Strength Roll-On - 200mg 1.13oz EXP: 03/23

Cannabinoids				
<b>212.69</b>	<b>0.66</b>	<b>32</b>		
Total CBD (mg/unit)	% Total CBD	Unit weight (g)		
Cannabinoid	LOQ %	Mass %	Mass mg/g	Concentration
CBD	0.01	0.66	6.6	
CBDA	0.01	<LOQ	<LOQ	
d9-THC	0.01	<LOQ	<LOQ	
THCA-A	0.01	<LOQ	<LOQ	
d8-THC	0.01	<LOQ	<LOQ	
THCV	0.01	<LOQ	<LOQ	
CBDV	0.01	<LOQ	<LOQ	
CBDVA	0.01	<LOQ	<LOQ	
CBGA	0.01	<LOQ	<LOQ	
CBG	0.01	<LOQ	<LOQ	
CBN	0.01	<LOQ	<LOQ	
CBC	0.01	<LOQ	<LOQ	
CBL	0.01	<LOQ	<LOQ	

Pesticides/Plant Growth Regulators			
Pesticides	Status	Sample (PPB)	LOQ (PPB)
Acequinocyl	PASS	<LOQ	10
Abamectin	PASS	<LOQ	10
Bifenazate	PASS	<LOQ	10
Fenoxycarb	PASS	<LOQ	10
Fludioxonil	PASS	<LOQ	10
Imidacloprid	PASS	<LOQ	10
Myclobutanil	PASS	<LOQ	10
Pyrethrin	PASS	<LOQ	10
Spinosad	PASS	<LOQ	10
Spiromesifen	PASS	<LOQ	10
Spirotetramat	PASS	<LOQ	10
Tebuconazole	PASS	<LOQ	10
Plant Growth Regulators			
Daminozide	PASS	<LOQ	10

Residual Solvents		
Compound	Status	Limit (PPM)
Propane	PASS	500
Methanol	PASS	500
Isobutane	PASS	500
Ethanol	PASS	500
Isopropanol	PASS	500
Isopentane	PASS	500
n-Butane	PASS	500
n-Hexane	PASS	500
2,2-Dimethylbutane	PASS	500
3-Methylpentane	PASS	500
2-Methylpentane	PASS	500
Cyclohexane	PASS	500
Neopentane	PASS	500
n-Heptane	PASS	500
n-Pentane	PASS	500
Benzene	PASS	500

Microbiology				
Quantitative Analysis	Status	Sample	LOQ	Limit
	Pass/Fail	CFU/g	CFU/g	CFU/g
Mold/Mildew/Yeast	PASS	<LOQ	8	10,000
Enterobacteriaceae	PASS	<LOQ	8	1,000
Aerobic Bacteria	PASS	<LOQ	8	100,000
Coliforms	PASS	<LOQ	8	1,000
Qualitative Analysis		Detected or Not-detected		
E. Coli	PASS	Not-detected		
Salmonella	PASS	Not-detected		
Pseudomonas	PASS	Not-detected		

Heavy Metals				
Compound	Status	Sample	LOQ	Limit
	Pass/Fail	PPB	PPB	PPB
Arsenic	PASS	<LOQ	25	1500
Cadmium	PASS	<LOQ	25	500
Mercury	PASS	<LOQ	25	1000
Lead	PASS	29	25	500

1. The hemp extract is the product of a batch tested by the independent testing laboratory.  
2. The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and  
3. The batch does not contain contaminants unsafe for human consumption.\*



*Stacy Gardalen*

Stacy Gardalen  
Director

*Glen Marquez*

Glen Marquez  
Quality Control



4439 Polaris Ave.  
Las Vegas, NV 89103  
(702)729-5180

www.dblabslv.com

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation. NA = Not Analyzed. ND = Not Detected. PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein.\* Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.

March 31, 2021

**CV SCIENCES**

10070 Barnes Canyon Road suite 100  
 SAN DIEGO 92121  
 n/a

Order No. 521898  
 Sample No. 1077920

**SAMPLE INFORMATION**

**Description** FP-21-0062 PlusCBD Extra Strength Roll-On - 200mg 1.13oz EXP: 03/23  
**Lot Number** 08C21  
**Category (Type)** Non-Inhalable Topical (Other)  
**Received** March 29, 2021

**ANALYTICAL RESULTS**

**Analysis** Pesticide Screen ✔ Pass  
**Instrument** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)  
**Method** MF 21P030  
**Analysis Date** March 29, 2021 to March 31, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass

If there are any questions with this report, please contact "[Compliance@anresco.com](mailto:Compliance@anresco.com)".

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Fonicamid	0.04/0.10	ND	2.0	Pass
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.04/0.10	ND	0.2	Pass
Paclobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

Reported by  
**Anresco, Inc.**

ND = None Detected



Eric Tam  
Senior Chemist

March 31, 2021

If there are any questions with this report, please contact "[compliance@anresco.com](mailto:compliance@anresco.com)".