




CV SCIENCES™

Certificate of Analysis
April 19, 2021

Sample ID: FP-21-0093
Product Name: PlusCBD Extra Strength Liquid - Peppermint
Batch/Lot #: 17320091
Strength: 1 fl. oz 250mg – 10mg per serving
Expiration: 04/23
Analyst: HP



| <u>Physical Properties</u> | <u>Result</u> | <u>Method</u> |
|----------------------------|------------------|---------------|
| Appearance | Pass | Organoleptic |
| Color | Pass | Organoleptic |
| Aroma | Pass | Organoleptic |
| <u>Cannabinoid</u> | <u>mg/unit</u> | <u>Method</u> |
| CBD | 286.27 | HPLC |
| CBDV | 2.14 | HPLC |
| CBDA | ND | HPLC |
| CBGA | 14.13 | HPLC |
| CBG | 0.88 | HPLC |
| CBN | ND | HPLC |
| Δ ⁹ -THC | 2.86 | HPLC |
| CBC | 15.75 | HPLC |
| THCA | ND | HPLC |
| Total Cannabinoids | 323.02 mg | |
| Sample Size | 27.00 g | |
| THC by Mass | 0.0093 % | |

ND = NOT DETECTED

Hayley Palmer

APR 20 2021

Ryan Santiago

APR 20 2021

Analyst _____ Date _____
Hayley Palmer, B.S.
Quality Analyst

Reviewed By _____ Date _____
Ryan Santiago, B.S.
Senior Quality Associate

This Certificate of Analysis has been generated to document product test results. The "Reviewed By" signature does not indicate finished product release for distribution.



Certificate of Analysis

CV Sciences, Inc.

10070 Barnes Canyon Road
San Diego, CA 92121
Vandana Kothari

Sample

2104DBL0240.4132

Batch FP-21-0093

Lot 17320091

Ordered 4/19/2021

Completed 4/22/2021

PlusCBD Extra Strength Liquid - 10mg Peppermint 1 fl. oz 250mg EXP: 04/23

Cannabinoids

| | 259.33 | 0.96 | 27 |
|---------------------|-------------|-----------------|-------------------------|
| Total CBD (mg/unit) | % Total CBD | Unit weight (g) | |
| Cannabinoid | LOQ % | Mass % | Mass Concentration mg/g |
| CBD | 0.05 | 0.96 | 9.6 |
| CBDA | 0.05 | <LOQ | <LOQ |
| d9-THC | 0.05 | <LOQ | <LOQ |
| THCA-A | 0.05 | <LOQ | <LOQ |
| d8-THC | 0.05 | <LOQ | <LOQ |
| THCV | 0.05 | <LOQ | <LOQ |
| CBDV | 0.05 | <LOQ | <LOQ |
| CBDVA | 0.05 | <LOQ | <LOQ |
| CBGA | 0.05 | <LOQ | <LOQ |
| CBG | 0.05 | <LOQ | <LOQ |
| CBN | 0.05 | <LOQ | <LOQ |
| CBC | 0.05 | <LOQ | <LOQ |
| CBL | 0.05 | <LOQ | <LOQ |

Pesticides/Plant Growth Regulators

| Pesticides | Status | Sample (PPB) | LOQ (PPB) |
|---------------|--------|--------------|-----------|
| Acequinocyl | PASS | <LOQ | 10 |
| Abamectin | PASS | <LOQ | 10 |
| Bifenazate | PASS | <LOQ | 10 |
| Fenoxycarb | PASS | <LOQ | 10 |
| Fludioxonil | PASS | <LOQ | 10 |
| Imidacloprid | PASS | <LOQ | 10 |
| Myclobutanil | PASS | <LOQ | 10 |
| Pyrethrin | PASS | <LOQ | 10 |
| Spinosad | PASS | <LOQ | 10 |
| Spiromesifen | PASS | <LOQ | 10 |
| Spirotetramat | PASS | <LOQ | 10 |
| Tebuconazole | PASS | <LOQ | 10 |

Plant Growth Regulators

| | | | |
|------------|------|------|----|
| Daminozide | PASS | <LOQ | 10 |
|------------|------|------|----|

Residual Solvents

| Compound | Status | Limit (PPM) |
|--------------------|--------|-------------|
| Propane | PASS | 500 |
| Methanol | PASS | 500 |
| Isobutane | PASS | 500 |
| Ethanol | PASS | 500 |
| Isopropanol | PASS | 500 |
| Isopentane | PASS | 500 |
| n-Butane | PASS | 500 |
| n-Hexane | PASS | 500 |
| 2,2-Dimethylbutane | PASS | 500 |
| 3-Methylpentane | PASS | 500 |
| 2-Methylpentane | PASS | 500 |
| Cyclohexane | PASS | 500 |
| Neopentane | PASS | 500 |
| n-Heptane | PASS | 500 |
| n-Pentane | PASS | 500 |
| Benzene | PASS | 500 |

Microbiology

| Quantitative Analysis | Status | Sample | LOQ | Limit |
|-----------------------|-----------|--------------------------|--------------|---------|
| Mold/Mildew/Yeast | Pass/Fail | CFU/g | CFU/g | CFU/g |
| Enterobacteriaceae | PASS | <LOQ | 90 | 10,000 |
| Aerobic Bacteria | PASS | <LOQ | 900 | 100,000 |
| Coliforms | PASS | <LOQ | 90 | 1,000 |
| Qualitative Analysis | | Detected or Not-detected | | |
| E. Coli | PASS | | Not-detected | |
| Salmonella | PASS | | Not-detected | |
| Pseudomonas | PASS | | Not-detected | |

Heavy Metals

| Compound | Status | Sample | LOQ | Limit |
|----------|-----------|--------|-----|-------|
| Arsenic | Pass/Fail | PPB | PPB | PPB |
| Cadmium | PASS | <LOQ | 45 | 1500 |
| Mercury | PASS | <LOQ | 45 | 1000 |
| Lead | PASS | 57 | 45 | 500 |

- The hemp extract is the product of a batch tested by the independent testing laboratory;
- The batch contained a total delta-9-tetrahydrocannabinol concentration that did not exceed 0.3 percent pursuant to the testing of a random sample of the batch; and
- The batch does not contain contaminants unsafe for human consumption.*



Stacy Gardalen

Stacy Gardalen
Director

Glen Marquez

Glen Marquez
Quality Control

The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ = Limit of Quantitation, NA = Not Analyzed, NU = Not Detected, PGR = Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by DB Labs, LLC (MME# 6188736101164525768) using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein.* Tested analytes and limits were set by the customer. This Certificate shall not be reproduced except in full, without the written approval of DB Labs.



4439 Polaris Ave.
Las Vegas, NV 89103
(702)729-5180
www.dblabslv.com

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-000052-LIC

DISTRIBUTOR:

CV Sciences
10070 Barnes Canyon Road suite 100
SAN DIEGO 92121
n/a

MANUFACTURER:

CV Sciences, Inc.
Attn: Vandana Kothari
10070 Barnes Canyon Road, Suite 100
San Diego, CA 92121



SAMPLE INFORMATION

Sample No.: 1080121
Product: FP-21-0093 PlusCBD Extra
Name: Strength Liquid - 10mg
Peppermint 1 fl. oz 250mg EXP:
04/23
Matrix: Edible (Tincture)
Batch #: 17320091

Date Collected: 04/19/2021
Date Received: 04/19/2021
Date Reported: 04/21/2021

TEST SUMMARY

Pesticides Residue Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass

PESTICIDES RESIDUE SCREEN ✔ Pass

04/21/2021

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---------------------|---------------|----------------|-------------|--------|
| Abamectin | 0.04/0.10 | ND | 0.3 | Pass |
| Acephate | 0.04/0.10 | ND | 5.0 | Pass |
| Acequinocyl | 0.04/0.10 | ND | 4.0 | Pass |
| Acetamiprid | 0.04/0.10 | ND | 5.0 | Pass |
| Aldicarb | 0.04/0.10 | ND | 0.04 | Pass |
| Azoxystrobin | 0.04/0.10 | ND | 40.0 | Pass |
| Bifenazate | 0.04/0.10 | ND | 5.0 | Pass |
| Bifenthrin | 0.20/0.50 | ND | 0.5 | Pass |
| Boscalid | 0.04/0.10 | ND | 10.0 | Pass |
| Captan | 0.25/0.70 | ND | 5.0 | Pass |
| Carbaryl | 0.20/0.50 | ND | 0.5 | Pass |
| Carbofuran | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorantraniliprole | 0.04/0.10 | ND | 40.0 | Pass |
| Chlordane | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorfenapyr | 0.04/0.10 | ND | 0.04 | Pass |
| Chlorpyrifos | 0.04/0.10 | ND | 0.04 | Pass |
| Clofentezine | 0.04/0.10 | ND | 0.5 | Pass |
| Coumaphos | 0.04/0.10 | ND | 0.04 | Pass |
| Cyfluthrin | 0.70/2.00 | ND | 1.0 | Pass |
| Cypermethrin | 0.35/1.00 | ND | 1.0 | Pass |
| Daminozide | 0.04/0.10 | ND | 0.04 | Pass |
| DDVP (Dichlorvos) | 0.04/0.10 | ND | 0.04 | Pass |
| Diazinon | 0.04/0.10 | ND | 0.2 | Pass |
| Dimethoate | 0.04/0.10 | ND | 0.04 | Pass |
| Dimethomorph | 0.04/0.10 | ND | 20.0 | Pass |
| Ethoprop(hos) | 0.04/0.10 | ND | 0.04 | Pass |
| Etofenprox | 0.04/0.10 | ND | 0.04 | Pass |
| Etoxazole | 0.04/0.10 | ND | 1.5 | Pass |
| Fenhexamid | 0.04/0.10 | ND | 10.0 | Pass |
| Fenoxycarb | 0.04/0.10 | ND | 0.04 | Pass |
| Fenpyroximate | 0.04/0.10 | ND | 2.0 | Pass |
| Fipronil | 0.04/0.10 | ND | 0.04 | Pass |
| Flonicamid | 0.04/0.10 | ND | 2.0 | Pass |
| Fludioxanil | 0.04/0.10 | ND | 30.0 | Pass |
| Hexythiazox | 0.04/0.10 | ND | 2.0 | Pass |
| Imazalil | 0.04/0.10 | ND | 0.04 | Pass |
| Imidacloprid | 0.04/0.10 | ND | 3.0 | Pass |
| Kresoxim Methyl | 0.04/0.10 | ND | 1.0 | Pass |
| Malathion | 0.20/0.50 | ND | 5.0 | Pass |
| Metaxyl | 0.04/0.10 | ND | 15.0 | Pass |
| Methiocarb | 0.04/0.10 | ND | 0.04 | Pass |
| Methomyl | 0.04/0.10 | ND | 0.1 | Pass |
| Methyl parathion | 0.04/0.10 | ND | 0.04 | Pass |
| Mevinphos | 0.04/0.10 | ND | 0.04 | Pass |

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Myclobutanil | 0.04/0.10 | ND | 9.0 | Pass |
| Naled | 0.04/0.10 | ND | 0.5 | Pass |
| Oxamyl | 0.04/0.10 | ND | 0.2 | Pass |
| Paclobutrazol | 0.04/0.10 | ND | 0.04 | Pass |
| Pentachloronitrobenzene | 0.04/0.10 | ND | 0.2 | Pass |
| Permethrins | 0.20/0.50 | ND | 20.0 | Pass |
| Phosmet | 0.04/0.10 | ND | 0.2 | Pass |
| Piperonyl Butoxide | 0.04/0.10 | ND | 8.0 | Pass |
| Prallethrin | 0.04/0.10 | ND | 0.4 | Pass |
| Propiconazole | 0.04/0.10 | ND | 20.0 | Pass |
| Propoxur | 0.04/0.10 | ND | 0.04 | Pass |
| Pyrethrins | 0.20/0.50 | ND | 1.0 | Pass |
| Pyridaben | 0.04/0.10 | ND | 3.0 | Pass |
| Spinetoram | 0.04/0.10 | ND | 3.0 | Pass |
| Spinosad | 0.04/0.10 | ND | 3.0 | Pass |
| Spiromesifen | 0.04/0.10 | ND | 12.0 | Pass |
| Spirotetramat | 0.04/0.10 | ND | 13.0 | Pass |
| Spiroxamine | 0.04/0.10 | ND | 0.04 | Pass |
| Tebuconazole | 0.04/0.10 | ND | 2.0 | Pass |
| Thiactolprid | 0.04/0.10 | ND | 0.04 | Pass |
| Thiamethoxam | 0.35/1.00 | ND | 4.5 | Pass |
| Trifloxystrobin | 0.04/0.10 | ND | 30.0 | Pass |

RESIDUAL SOLVENT SCREEN ✔ Pass

04/21/2021

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane | 0.10/1.00 | ND | 1 | Pass |
| Acetone | 50/150 | ND | 5000 | Pass |
| Acetonitrile | 4/12 | ND | 410 | Pass |
| Benzene | 0.10/1.00 | ND | 1 | Pass |
| n-Butane | 48/160 | ND | 5000 | Pass |
| Chloroform | 0.10/1.00 | ND | 1 | Pass |
| Ethanol | 67/200 | ND | 5000 | Pass |
| Ethyl acetate | 27/80 | ND | 5000 | Pass |
| Ethyl ether | 17/50 | ND | 5000 | Pass |
| Ethylene oxide | 0.50/1.00 | ND | 1 | Pass |
| n-Heptane | 1/4 | ND | 5000 | Pass |
| n-Hexane | 2/10 | ND | 290 | Pass |
| Isopropyl alcohol | 33/100 | ND | 5000 | Pass |
| Methanol | 50/150 | ND | 3000 | Pass |
| Methylene chloride | 0.50/1.00 | ND | 1 | Pass |
| n-Pentane | 2/6 | ND | 5000 | Pass |
| Propane | 10/33 | ND | 5000 | Pass |
| Toluene | 10/30 | ND | 890 | Pass |
| Total xylenes (ortho-, meta-, para-) | 30/90 | ND | 2170 | Pass |
| Trichloroethylene | 0.10/1.00 | ND | 1 | Pass |

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by



Vu Lam
Lab Co Director



Scan to verify